

Crawford Series

- Single Column "T" Base -

Single Column "T" Leg Options:

	Add
* GL-1: Nylon Screw in Glide (Set of 4), (table height remains at 29" with Glide)	45.00 LIST per table
* EQ-1: Equalizer Glide (Set of 4), (table height remains at 29" with Glide)	85.00 LIST per table
* TWC-1: Twin Wheel Swivel Locking Caster (Set of 4), (table height remains at 29" with casters)	100.00 LIST per table
* #10 Concealed Caster/Glide	55.00 LIST per table
* #20 Concealed Caster/Caster	100.00 LIST per table
* T-Leg Support Bar (Column to Column Cross Bar)	260.00 LIST per table
* Flip Top Option, T Legs : Tables up to 72" W, complete with connector bar	625.00 LIST per table
* Bar or Counter Height (BH or CH)	200.00 LIST per table
* Coffee Table Height (CT)	0.00 LIST per table (Please indicate height on order)
* COP (customers own power) , Customer to Supply Power and Data Boxes, Template To be Supplied CUT OUT Upcharge	175.00 LIST per table
* 3" Round Grommet	30.00 LIST per table (Please specify location on order)
* Polished Chrome Upcharge	250.00 LIST per table
* Satin Nickel Upcharge	275.00 LIST per table

Standard Base Features:

- * 3" Diameter Single Column, 14 Gauge
- * Foot is All Welded 3" round formed tube, with welded and polished round bullet ends
- * Includes Standard Screw in Adjustable Glides (Model GL-1)
- * Mounting Plate: 12" x 12" x 3/16" Thick, all Welded to the top of Column
- * Flip Box and Connector Bars ALWAYS finished in Cape Standard Black Epoxy
- * Standard table height is 29.5" from floor to surface unless otherwise specified, Upcharges May Apply.
- * Pricing based on any Standard Cape Epoxy

Standard Top Features:

- * All Tops have particle board core, unless otherwise specified
- * Standard Top Thickness: 1 1/8"
- * Standard Cape Laminates: **(CUSTOM LAMINATES UPON REQUEST)**
- Formica **(-58 Finish Only)**
- Wilsonart **(-60 Matte Finish only)**
- Nevamar **(-T Textured Finish Only)**
- Pionite **(Suede Finish Only)**

HOW TO READ CODES: REC 2096 S 202-2-20

REC = Rectangular

2096 = Top Size: 20" x 96"


S 202-2-20= S=Includes Support Stretchers -202=Model 202 Crawford,

-2=2 "T" Legs, -20=20" Base Spread

Crawford Series

- Single Column "T" Base -

Rectangular



	ST1	ST2	ST3	ST4	ST5	ST6	ST7
	Thermowrap 1" - 1/2 Round Seamless Edge Standard PLAM 1" - Any Standard Edge Detail	Standard PLAM - Plywood Core, 1" - Any Standard Edge Detail Standard PLAM 1" - Metal Edge	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 1 Edge Detail Wormy Maple Butcher Block 1 1/2" - Any Standard Edge Detail	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 2 Edge Detail Maple & Ash Butcher Block 1 1/2" - Any Standard Edge Detail Wilsonart Solid Surface (Group 1) - 1/2" - Eased Edge	Wilsonart Solid Surface (Group 2) 1/2" - Eased Edge Maple or Oak Veneer 1" - Matching Self Edge Detail Yellow Birch Butcher Block 1 1/2" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 3, 4) 1/2" - Eased Edge Multi Species Butcher Block 1 1/2" - Any Standard Edge Detail Yellow Birch Butcher Block 1 5/8" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 5) - 1/2" - Eased Edge Walnut Butcher Block 1 1/2" - Any Standard Edge Detail

Model #	Rectangular	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
A x B										
REC 20 36	202-2-20	20 36	70	1288	1501	1607	1819	1926	2032	2351
REC 20 42	202-2-20	20 42	74	1341	1589	1713	1961	2085	2209	2581
REC 20 48	202-2-20	20 48	78	1394	1678	1819	2103	2244	2386	2811
REC 20 54	202-2-20	20 54	83	1448	1766	1926	2244	2404	2563	3041
REC 20 60	202-2-20	20 60	87	1501	1855	2032	2386	2563	2740	3271
REC 20 72	202-2-20	20 72	95	1607	2032	2244	2669	2882	3094	3732
REC 20 84	202-2-20-S*	20 84	114	2138	2634	2882	3378	3626	3874	4617
REC 20 96	202-2-20-S*	20 96	123	2244	2811	3094	3661	3944	4228	5078
REC 20 120	202-2-20-S*	20 120	139	2457	3165	3519	4228	4582	4936	5999
REC 24 36	202-2-20	24 36	75	1352	1607	1734	1989	2117	2244	2627
REC 24 42	202-2-20	24 42	80	1416	1713	1862	2159	2308	2457	2903
REC 24 48	202-2-20	24 48	85	1479	1819	1989	2329	2499	2669	3179
REC 24 54	202-2-20	24 54	90	1543	1926	2117	2499	2691	2882	3456
REC 24 60	202-2-20	24 60	95	1607	2032	2244	2669	2882	3094	3732
REC 24 72	202-2-20	24 72	105	1734	2244	2499	3009	3264	3519	4284
REC 24 84	202-2-20-S*	24 84	126	2287	2882	3179	3774	4072	4369	5262
REC 24 96	202-2-20-S*	24 96	136	2414	3094	3434	4114	4454	4794	5814
REC 24 120	202-2-20-S*	24 120	156	2669	3519	3944	4794	5219	5644	6919

HOW TO READ CODES: REC 2096 S 202-2-20

REC = Rectangular


2096 = Top Size: 20" x 96"

S 202-2-20= S=Includes Support Stretchers -202=Model 202 Crawford,

-2=2 "T" Legs, -20=20" Base Spread

Crawford Series

Rectangular



- Single Column "T" Base -

	ST1	ST2	ST3	ST4	ST5	ST6	ST7
	Thermowrap 1" - 1/2 Round Seamless Edge Standard PLAM 1" - Any Standard Edge Detail	Standard PLAM - Plywood Core, 1" - Any Standard Edge Detail Standard PLAM 1" - Metal Edge	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 1 Edge Detail Wormy Maple Butcher Block 1.1/2" - Any Standard Edge Detail	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 2 Edge Detail Maple & Ash Butcher Block 1.1/2" - Any Standard Edge Detail Wilsonart Solid Surface (Group 1) - 1/2" - Eased Edge	Wilsonart Solid Surface (Group 2) 1/2" - Eased Edge Maple or Oak Veneer 1" - Matching Self Edge Detail Yellow Birch Butcher Block 1.1/2" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 3, 4) 1/2" - Eased Edge Multi Species Butcher Block 1.1/2" - Any Standard Edge Detail Yellow Birch Butcher Block 1.5/8" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 5) - 1/2" - Eased Edge Walnut Butcher Block 1.1/2" - Any Standard Edge Detail

Model #	Rectangular	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
A x B										
REC 30 36	202-2-23	30 36	86	1448	1766	1926	2244	2404	2563	3041
REC 30 42	202-2-23	30 42	92	1527	1899	2085	2457	2643	2829	3387
REC 30 48	202-2-23	30 48	98	1607	2032	2244	2669	2882	3094	3732
REC 30 54	202-2-23	30 54	104	1687	2165	2404	2882	3121	3360	4077
REC 30 60	202-2-23	30 60	111	1766	2298	2563	3094	3360	3626	4423
REC 30 72	202-2-23	30 72	123	1926	2563	2882	3519	3838	4157	5113
REC 30 84	202-2-23-S*	30 84	147	2510	3254	3626	4369	4741	5113	6229
REC 30 96	202-2-23-S*	30 96	159	2669	3519	3944	4794	5219	5644	6919
REC 30 120	202-2-23-S*	30 120	184	2988	4051	4582	5644	6176	6707	8301
REC 36 48	202-2-28	36 48	112	1760	2270	2525	3035	3290	3545	4310
REC 36 54	202-2-28	36 54	120	1856	2429	2716	3290	3577	3864	4724
REC 36 60	202-2-28	36 60	127	1951	2589	2908	3545	3864	4183	5139
REC 36 72	202-2-28	36 72	142	2143	2908	3290	4055	4438	4820	5968
REC 36 84	202-2-28-S*	36 84	168	2759	3651	4098	4990	5436	5883	7221
REC 36 96	202-2-28-S*	36 96	183	2950	3970	4480	5500	6010	6520	8050
REC 36 120	202-2-28-S*	36 120	213	3333	4608	5245	6520	7158	7795	9708
REC 42 60	202-2-32	42 60	143	2136	2880	3252	3996	4368	4740	5855
REC 42 72	202-2-32	42 72	160	2360	3252	3698	4591	5037	5483	6822
REC 42 84	202-2-32-S*	42 84	189	3008	4049	4570	5611	6131	6652	8214
REC 42 96	202-2-32-S*	42 96	206	3231	4421	5016	6206	6801	7396	9181
REC 42 120	202-2-32-S*	42 120	241	3677	5165	5908	7396	8140	8883	11115

S* includes 2pcs -"L" shape steel support stretchers, screwed to the underside of the top to prevent bowing

Crawford Series

- Double Column "T" Base -

Single Column "T" Leg Options:

	Add
* GL-1: Nylon Screw in Glide (Set of 4), (table height remains at 29" with Glide)	45.00 LIST per table
* EQ-1: Equalizer Glide (Set of 4), (table height remains at 29" with Glide)	85.00 LIST per table
* TWC-1: Twin Wheel Swivel Locking Caster (Set of 4), (table height remains at 29" with casters)	100.00 LIST per table
* #10 Concealed Caster/Glide	55.00 LIST per table
* #20 Concealed Caster/Caster	100.00 LIST per table
* Flip Top Option, T Legs : Tables up to 72" W, complete with connector bar	285.00 LIST per table
* Bar or Counter Height (BH or CH)	130.00 LIST per table
* Coffee Table Height (CT)	0.00 LIST per table (Please indicate height on order)
* COP (customers own power) , Customer to Supply Power and Data Boxes, Template To be Supplied CUT OUT Upcharge	175.00 LIST per table
* 3" Round Grommet	30.00 LIST per table (Please specify location on order)
* Polished Chrome Upcharge	250.00 LIST per table
* Satin Nickel Upcharge	275.00 LIST per table

Standard Base Features:

- * 3" Diameter Single Column, 14 Gauge
- * Foot is All Welded 3" round formed tube, with welded and polished round bullet ends
- * Includes Standard Screw in Adjustable Glides (Model GL-1)
- * Mounting Plate: 12" x 12" x 3/16" Thick, all Welded to the top of Column
- * Support Chassis Included
- * Flip Box and Connector Bars ALWAYS finished in Cape Standard Black Epoxy
- * Standard table height is 29.5" from floor to surface unless otherwise specified, Upcharges May Apply.
- * Pricing based on any Standard Cape Epoxy

Standard Top Features:

- * All Tops have particle board core, unless otherwise specified
- * Standard Top Thickness: 1 1/8"
- * Standard Cape Laminates: **(CUSTOM LAMINATES UPON REQUEST)**
- Formica **(-58 Finish Only)**
- Wilsonart **(-60 Matte Finish only)**
- Nevamar **(-T Textured Finish Only)**
- Pionite **(Suede Finish Only)**

HOW TO READ CODES: REC 3684 202-2DC-28

REC = Rectangular


3684 = Top Size: 36" x 84"

202-2DC-28= 202=Model 202 Crawford, **2DC**=2 Double Column "T" Legs, **28**=28" Base Spread

Crawford Series

- Double Column "T" Base -

Rectangular



	ST1	ST2	ST3	ST4	ST5	ST6	ST7
	Thermowrap 1" - 1/2 Round Seamless Edge Standard PLAM 1" - Any Standard Edge Detail	Standard PLAM - Plywood Core, 1" - Any Standard Edge Detail Standard PLAM 1" - Metal Edge	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 1 Edge Detail Wormy Maple Butcher Block 1 1/2" - Any Standard Edge Detail	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 2 Edge Detail Maple & Ash Butcher Block 1 1/2" - Any Standard Edge Detail Wilsonart Solid Surface (Group 1) - 1/2" - Eased Edge	Wilsonart Solid Surface (Group 2) 1/2" - Eased Edge Maple or Oak Veneer 1" - Matching Self Edge Detail Yellow Birch Butcher Block 1 1/2" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 3, 4) 1/2" - Eased Edge Multi Species Butcher Block 1 1/2" - Any Standard Edge Detail Yellow Birch Butcher Block 1 5/8" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 5) - 1/2" - Eased Edge Walnut Butcher Block 1 1/2" - Any Standard Edge Detail

Model #	Rectangular	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
A x B										
REC 36 60	202-2DC-28	36 60	135	3122	3759	4078	4716	5034	5353	6309
REC 36 72	202-2DC-28	36 72	150	3313	4078	4461	5226	5608	5991	7138
REC 36 84	202-2DC-28	36 84	165	3504	4397	4843	5736	6182	6628	7967
REC 36 96	202-2DC-28	36 96	180	3696	4716	5226	6246	6756	7266	8796
REC 36 120	202-2DC-28	36 120	210	4078	5353	5991	7266	7903	8541	10453
REC 36 144	202-2DC-28	36 144	240	4461	5991	6756	8286	9051	9816	12111
REC 42 60	202-2DC-32	42 60	153	3324	4067	4439	5183	5555	5927	7042
REC 42 72	202-2DC-32	42 72	170	3547	4439	4885	5778	6224	6670	8009
REC 42 84	202-2DC-32	42 84	188	3770	4811	5332	6373	6894	7414	8976
REC 42 96	202-2DC-32	42 96	205	3993	5183	5778	6968	7563	8158	9943
REC 42 120	202-2DC-32	42 120	240	4439	5927	6670	8158	8902	9645	11877
REC 42 144	202-2DC-32	42 144	275	4885	6670	7563	9348	10240	11133	13810
REC 48 60	202-2DC-32	48 60	165	3483	4333	4758	5608	6033	6458	7733
REC 48 72	202-2DC-32	48 72	185	3738	4758	5268	6288	6798	7308	8838
REC 48 84	202-2DC-32	48 84	205	3993	5183	5778	6968	7563	8158	9943
REC 48 96	202-2DC-32	48 96	225	4248	5608	6288	7648	8328	9008	11048
REC 48 120	202-2DC-32	48 120	265	4758	6458	7308	9008	9858	10708	13258
REC 48 144	202-2DC-32	48 144	305	5268	7308	8328	10368	11388	12408	15468

All Double Column Bases come complete with under mount Chassis Support with Double Column "T" Bases

Crawford Series

- TRIPOD 3 Leg Base -

"X" Base Options:

* GL-1: Nylon Screw in Glide (Set of 3), (table height remains at 29" with Glide)	Add	
	35.00	LIST per table
* EQ-1: Equalizer Glide (Set of 3), (table height remains at 29" with Glide)	65.00	LIST per table
* TWC-1: Twin Wheel Swivel Locking Caster (Set of 3), (table height remains at 29" with casters)	75.00	LIST per table
* Flip Top Option X-Base (Up To 60" Diameter)	300.00	LIST per table
* Bar or Counter Height (BH or CH)	130.00	LIST per table
* Coffee Table Height (CT)	0.00	LIST per table (Please indicate height on order)
* All Welded Round Footrest Ring for Bar Height	250.00	LIST per table
* Polished Chrome Upcharge	225.00	LIST per table
* Satin Nickel Upcharge	250.00	LIST per table

Standard Base Features:

- * 3" Diameter Single Column, 14 Gauge
- * Foot is All Welded 3" round formed tube, with welded and polished round bullet ends
- * Includes Standard Screw in Adjustable Glides (Model GL-1)
- * Mounting Plate: 12" x 12" x 3/16" Thick, all Welded to the top of Column
- * Standard table height is 29.5" from floor to surface unless otherwise specified, Upcharges May Apply.
- * Pricing based on any Standard Cape Epoxy

Standard Top Features:

- * All Tops have particle board core, unless otherwise specified
- * Standard Top Thickness: 1 1/8"
- * Standard Cape Laminates: **(CUSTOM LAMINATES UPON REQUEST)**
 - Formica **(-58 Finish Only)**
 - Wilsonart **(-60 Matte Finish only)**
 - Nevamar **(-T Textured Finish Only)**
 - Pionite **(Suede Finish Only)**

Bar Height Footrest Rings

- * Any Base Under 18" Spread, Footring Diameter is 16"
- * Any Base Over 18" Spread, Footring Diameter is 18"

HOW TO READ CODES: SQ 4848 203-36

SQ= Square

4848 = Top Size: 48" x 48"

203-36=-203= Model 203 Crawford,-36=36" Spread Tripod Base

Crawford Series

- TRIPOD 3 Leg Base -



	ST1	ST2	ST3	ST4	ST5	ST6	ST7
	Thermowrap 1" - 1/2" Round Seamless Edge Standard PLAM 1" - Any Standard Edge Detail	Standard PLAM - Plywood Core, 1" - Any Standard Edge Detail Standard PLAM 1" - Metal Edge	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 1 Edge Detail Wormy Maple Butcher Block 1 1/2" - Any Standard Edge Detail	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 2 Edge Detail Maple & Ash Butcher Block 1 1/2" - Any Standard Edge Detail Wilsonart Solid Surface (Group 1) - 1/2" - Eased Edge	Wilsonart Solid Surface (Group 2) 1/2" - Eased Edge Maple or Oak Veneer 1" - Matching Self Edge Detail Yellow Birch Butcher Block 1 1/2" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 3, 4) 1/2" - Eased Edge Multi Species Butcher Block 1 1/2" - Any Standard Edge Detail Yellow Birch Butcher Block 1 5/8" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 5) - 1/2" - Eased Edge Walnut Butcher Block 1 1/2" - Any Standard Edge Detail

Model #	Square	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7	
		A x B									
SQ	24	24	203-23	24	24	52	679	679	679	679	679
SQ	30	30	203-23	30	30	63	679	679	679	679	679
SQ	36	36	203-28	36	36	82	719	719	719	719	719
SQ	42	42	203-32	42	42	98	784	784	784	784	784
SQ	48	48	203-36	48	48	119	827	827	827	827	827

Model #	Round	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
		A x B								
RD	24	D	203-23	24	24	56	679	679	679	679
RD	30	D	203-23	30	30	70	679	679	679	679
RD	36	D	203-28	36	36	91	719	719	719	719
RD	42	D	203-32	42	42	111	784	784	784	784
RD	48	D	203-36	48	48	135	827	827	827	827

Model #	Rectangular	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
		A x B								
REC	24	30	203-23	24	30	57	679	679	679	679
REC	30	36	203-28	30	36	75	719	719	719	719
REC	30	42	203-28	30	42	81	719	719	719	719

Crawford Series

- Single Column "X" Base or TRIPOD 3 Leg Base -

"X" Base Options:

	Add
* GL-1: Nylon Screw in Glide (Set of 4), (table height remains at 29" with Glide)	45.00 LIST per table
* EQ-1: Equalizer Glide (Set of 4), (table height remains at 29" with Glide)	85.00 LIST per table
* TWC-1: Twin Wheel Swivel Locking Caster (Set of 4), (table height remains at 29" with casters)	100.00 LIST per table
* #24 Concealed Caster/Caster	125.00 LIST per table
* Flip Top Option X-Base (Up To 60" Diameter)	300.00 LIST per table
* Bar or Counter Height (BH or CH)	130.00 LIST per table
* Coffee Table Height (CT)	0.00 LIST per table (Please indicate height on order)
* All Welded Round Footrest Ring for Bar Height	250.00 LIST per table
* Polished Chrome Upcharge	225.00 LIST per table
* Satin Nickel Upcharge	250.00 LIST per table

Standard Base Features:

- * 3" Diameter Single Column, 14 Gauge
- * Foot is All Welded 3" round formed tube, with welded and polished round bullet ends
- * Includes Standard Screw in Adjustable Glides (Model GL-1)
- * Mounting Plate: 12" x 12" x 3/16" Thick, all Welded to the top of Column
- * Standard table height is 29.5" from floor to surface unless otherwise specified, Upcharges May Apply.
- * Pricing based on any Standard Cape Epoxy

Standard Top Features:

- * All Tops have particle board core, unless otherwise specified
- * Standard Top Thickness: 1 1/8"
- * Standard Cape Laminates: **(CUSTOM LAMINATES UPON REQUEST)**
 Formica **(-58 Finish Only)**
 Wilsonart **(-60 Matte Finish only)**
 Nevamar **(-T Textured Finish Only)**
 Pionite **(Suede Finish Only)**

Bar Height Footrest Rings

- * Any Base Under 18" Spread, Footring Diameter is 16"
- * Any Base Over 18" Spread, Footring Diameter is 18"

HOW TO READ CODES: SQ 4848 204-36

RD= Square

4848 = Top Size: 48" x 48"

204-36=-204= Model 204 Crawford, -36=36" Spread "X" Base

Crawford Series

- Single Column "X" Base or TRIPOD 3 Leg Base -



							ST1	ST2	ST3	ST4	ST5	ST6	ST7
							Thermowrap 1" - 1/2 Round Seamless Edge Standard PLAM 1" - Any Standard Edge Detail	Standard PLAM - Plywood Core, 1" - Any Standard Edge Detail Standard PLAM 1" - Metal Edge	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 1 Edge Detail Wormy Maple Butcher Block 1 1/2" - Any Standard Edge Detail	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 2 Edge Detail Maple & Ash Butcher Block 1 1/2" - Any Standard Edge Detail Wilsonart Solid Surface (Group 1) - 1/2" - Eased Edge	Wilsonart Solid Surface (Group 2) 1/2" - Eased Edge Maple or Oak Veneer 1" - Matching Self Edge Detail Yellow Birch Butcher Block 1 1/2" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 3, 4) 1/2" - Eased Edge Multi Species Butcher Block 1 1/2" - Any Standard Edge Detail Yellow Birch Butcher Block 1 5/8" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 5) - 1/2" - Eased Edge Walnut Butcher Block 1 1/2" - Any Standard Edge Detail

Model #	Square	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7			
		A x B											
SQ	24	24	204-23	24	24	52	934	1104	1189	1359	1444	1529	1784
SQ	30	30	204-23	30	30	63	1077	1343	1475	1741	1874	2007	2405
SQ	36	36	204-28	36	36	82	1293	1675	1866	2249	2440	2631	3205
SQ	42	42	204-32	42	42	98	1565	2085	2346	2866	3127	3387	4168
SQ	48	48	204-36	48	48	119	1847	2527	2867	3547	3887	4227	5247

Model #	Round	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7			
		A x B											
RD	24	D	204-23	24	24	56	985	1189	1291	1495	1597	1699	2005
RD	30	D	204-23	30	30	70	1157	1475	1635	1954	2113	2272	2750
RD	36	D	204-28	36	36	91	1407	1866	2096	2555	2784	3014	3702
RD	42	D	204-32	42	42	111	1721	2346	2658	3283	3595	3907	4845
RD	48	D	204-36	48	48	135	2051	2867	3275	4091	4499	4907	6131

Model #	Rectangular	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7			
		A x B											
REC	24	30	204-23	24	30	57	997	1210	1316	1529	1635	1741	2060
REC	30	36	204-28	30	36	75	1197	1516	1675	1994	2153	2313	2791
REC	30	42	204-28	30	42	81	1277	1649	1835	2206	2392	2578	3136

Crawford Series

- Four Column "X" Base -

Four (4) Column "X" Base Options:

	Add
* GL-1: Nylon Screw in Glide (Set of 4), (table height remains at 29" with Glide)	45.00 LIST per table
* EQ-1: Equalizer Glide (Set of 4), (table height remains at 29" with Glide)	85.00 LIST per table
* TWC-1: Twin Wheel Swivel Locking Caster (Set of 4), (table height remains at 29" with casters)	100.00 LIST per table
* #24 Concealed Caster/Caster	125.00 LIST per table
* Flip Top Option X-Base (Up To 60" Diameter)	625.00 LIST per table
* Bar or Counter Height (BH or CH)	130.00 LIST per table
* Non Standard Heights	80.00 LIST per table (Please indicate height on order)
* Polished Chrome Upcharge	250.00 LIST per table
* Satin Nickel Upcharge	275.00 LIST per table

Standard Base Features:

- * Four (4), 3" Diameter Columns, 14 Gauge
- * Foot is All Welded 3" round formed tube, with welded and polished round bullet ends
- * Includes Standard Screw in Adjustable Glides (Model GL-1)
- * Mounting Plate: 12" x 12" x 3/16" Thick, all Welded to the top of Column
- * Flip Box and Connector Bars ALWAYS finished in Cape Standard Black Epoxy
- * Standard table height is 29.5" from floor to surface unless otherwise specified, Upcharges May Apply.
- * Pricing based on any Standard Cape Epoxy

Standard Top Features:

- * All Tops have particle board core, unless otherwise specified
- * Standard Top Thickness: 1 1/8"
- * Standard Cape Laminates: **(CUSTOM LAMINATES UPON REQUEST)**
 - Formica **(-58 Finish Only)**
 - Wilsonart **(-60 Matte Finish only)**
 - Nevamar **(-T Textured Finish Only)**
 - Pionite **(Suede Finish Only)**

HOW TO READ CODES: RD 48D 204-4C-32

RD= Round

48D=Top Size: 48" Diameter


204-4C-32= 204= Model 204 Crawford, -4C=Four (4) Column,-32=32" Spread "X" Base

Crawford Series

- Four Column "X" Base -

Square

Round



	ST1	ST2	ST3	ST4	ST5	ST6	ST7
	Thermowrap 1" - 1/2 Round Seamless Edge Standard PLAM 1" - Any Standard Edge Detail	Standard PLAM - Plywood Core, 1" - Any Standard Edge Detail Standard PLAM 1" - Metal Edge	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 1 Edge Detail Wormy Maple Butcher Block 1.1/2" - Any Standard Edge Detail	Standard PLAM - TUFF EDGE Poly Resin, 1" - Any GROUP 2 Edge Detail Maple & Ash Butcher Block 1.1/2" - Any Standard Edge Detail Wilsonart Solid Surface (Group 1) - 1/2" - Eased Edge	Wilsonart Solid Surface (Group 2) 1/2" - Eased Edge Maple or Oak Veneer 1" - Matching Self Edge Detail Yellow Birch Butcher Block 1.1/2" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 3, 4) 1/2" - Eased Edge Multi Species Butcher Block 1.1/2" - Any Standard Edge Detail Yellow Birch Butcher Block 1.5/8" - Any Standard Edge Detail	Wilsonart Solid Surface (Group 5) - 1/2" - Eased Edge Walnut Butcher Block 1.1/2" - Any Standard Edge Detail

Model #	Square	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7			
		A x B											
SQ	48	48	204-4C-32	48	48	124	2090	2770	3110	3790	4130	4470	5490
SQ	54	54	204-4C-36	54	54	147	2391	3252	3682	4542	4973	5403	6694
SQ	60	60	204-4C-36	60	60	171	2694	3756	4287	5350	5881	6412	8006

Model #	Round	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7			
		A x B											
RD	48	D	204-4C-32	48	48	140	2294	3110	3518	4334	4742	5150	6374
RD	54	D	204-4C-36	54	54	168	2649	3682	4198	5231	5747	6264	7813
RD	60	D	204-4C-36	60	60	196	3012	4287	4925	6200	6837	7475	9387