

Batali Series

- Single Column "T" Base -

	Options:	ADD
	EQ-1: Equalizer Glide (Set of 4), (table height remains at 29" with Glide)	50.00 LIST per table
	TWC-1: Twin Wheel Swivel Locking Caster (Set of 4), (table height remains at 29" with casters)	100.00 LIST per table
	HDC-1: Heavy Duty Locking Casters (Set of 4), (table height remains at 29" with casters)	320.00 LIST per table
	#10 Concealed Caster/Glide	70.00 LIST per table
	#20 Concealed Caster/Caster	70.00 LIST per table
	Flip Top Option, T Legs : Tables up to 72" W, complete with connector bar	435.00 LIST per table
	Ganging Fast Lock	90.00 LIST per table
	Bar or Counter Height	120.00 LIST per table
	(Please indicate Height on order) Non Standard Heights	80.00 LIST per table
	(Please indicate on order) Cantilevered C Leg (positioned 1/3 - 2/3)	N/C
* COP (customers own power) , Customer to Supply Power and Data Boxes, Template To be Supplied CUT OUT	Upcharge	120.00 LIST per table
	(Please specify location on order) 3" Round Grommet	30.00 LIST per table
	Polished Chrome Upcharge	200.00 LIST per table
	Satin Nickel Upcharge	225.00 LIST per table

Standard Base Features:

- * 2" Diameter Single Column, 14 Gauge
- * Foot is All Welded 1" x 1 1/2" Tube, with Rounded Top, Square Bottom
- * Includes Standard Screw in Adjustable Glides (Model GL-1)
- * Mounting Plate: 12" x 12" x 3/16" Thick, all Welded to the top of Column
- * Flip Box and Connector Bars ALWAYS finished in Cape Standard Black Epoxy
- * Standard table height is 29.5" from floor to surface unless otherwise specified, Upcharges May Apply.
- * Pricing based on any Standard Cape Epoxy

Standard Top Features:

- * All Tops have partial board core, unless otherwise specified
- * Standard Top Thickness: 1 1/8"
- * Standard Cape Laminates: **(CUSTOM LAMINATES UPON REQUEST)**
- Formica **(-58 Finish Only)**
- Wilsonart **(-60 Matte Finish only)**
- Nevamar **(-T Textured Finish Only)**
- Pionite **(Suede Finish Only)**

* Modesty Panels Available, please refer to Accessories page.

* For power, data and additional accessories, please refer to Accessories page.

* 2 pcs Tables- 36"-42"w complete with 3 Fast Locks, 48" complete with 4 Fast Locks (Included in prices)

NOTE: Table Widths of +48" - 60" Available Upon Request

* Tables over 120" Long are subject to the following Packaging Charges

(one time charge): 1-6 Tables - \$150.00 NET - 6+ Tables-\$300.00 NET

HOW TO READ CODES: REC 2096 S 90-2-18

REC = Rectangular

2096 = Top Size: 20" x 96"


S 90-2-18 = **-S**=Includes Support Stretchers **-90**=Model 90 Batali, **-2**=2 "T" Legs, **-18**=18" Base Spread

NOTE: **MP**=Offset Mounting Plate-Column is welded to the outside of the mounting plate to accommodate smaller top

Batali Series

- Single Column "T" Base -

Rectangular



Model #	Rectangular	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7		
A x B												
REC 20 36	90-2-18	20 36	53	680	723	850	914	946	1105	1424		
REC 20 42	90-2-18	20 42	57	716	765	914	989	1026	1212	1584		
REC 20 48	90-2-18	20 48	61	751	808	978	1063	1105	1318	1743		
REC 20 54	90-2-18	20 54	66	787	850	1042	1137	1185	1424	1902		
REC 20 60	90-2-18	20 60	70	822	893	1105	1212	1265	1530	2062		
REC 20 72	90-2-18	20 72	78	893	978	1233	1360	1424	1743	2380		
REC 20 84 S	90-2-18-S*	20 84	97	1172	1271	1568	1717	1792	2163	2907		
REC 20 96 S	90-2-18-S*	20 96	106	1243	1356	1696	1866	1951	2376	3226		
REC 20 120 S	90-2-18-S*	20 120	122	1384	1526	1951	2163	2270	2801	3863		

S* includes 2pcs -"L" shape steel support stretchers, screwed 18" from the edge of the top to prevent bowing

REC 24 36	90-2-23	24 36	60	723	774	927	1003	1042	1233	1615
REC 24 42	90-2-23	24 42	65	765	825	1003	1093	1137	1360	1807
REC 24 48	90-2-23	24 48	70	808	876	1080	1182	1233	1488	1998
REC 24 54	90-2-23	24 54	75	850	927	1156	1271	1329	1615	2189
REC 24 60	90-2-23	24 60	80	893	978	1233	1360	1424	1743	2380
REC 24 72	90-2-23	24 72	90	978	1080	1386	1539	1615	1998	2763
REC 24 84 S	90-2-23-S*	24 84	111	1271	1390	1747	1925	2015	2461	3353
REC 24 96 S	90-2-23-S*	24 96	121	1356	1492	1900	2104	2206	2716	3736
REC 24 120 S	90-2-23-S*	24 120	141	1526	1696	2206	2461	2588	3226	4501

S* includes 2pcs -"L" shape steel support stretchers, screwed 18" from the edge of the top to prevent bowing

Batali Series

- Single Column "T" Base -

Model #	Rectangular	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7	
		A x B									
REC 30 36		90-2-28	30 36	70	791	855	1046	1142	1190	1429	1907
REC 30 42		90-2-28	30 42	76	845	919	1142	1254	1309	1588	2146
REC 30 48		90-2-28	30 48	82	898	983	1238	1365	1429	1748	2385
REC 30 54		90-2-28	30 54	88	951	1046	1333	1477	1548	1907	2624
REC 30 60		90-2-28	30 60	95	1004	1110	1429	1588	1668	2066	2863
REC 30 72		90-2-28	30 72	107	1110	1238	1620	1811	1907	2385	3341
REC 30 84 S		90-2-28-S*	30 84	131	1424	1573	2019	2243	2354	2912	4028
REC 30 96 S		90-2-28-S*	30 96	143	1531	1701	2211	2466	2593	3231	4506
REC 30 120 S		90-2-28-S*	30 120	168	1743	1956	2593	2912	3071	3868	5462

S* includes 2pcs -"L" shape steel support stretchers, screwed 18" from the edge of the top to prevent bowing

REC 36 48		90-2-28	36 48	92	983	1085	1391	1544	1620	2003	2768
REC 36 54		90-2-28	36 54	100	1046	1161	1505	1678	1764	2194	3055
REC 36 60		90-2-28	36 60	107	1110	1238	1620	1811	1907	2385	3341
REC 36 72		90-2-28	36 72	122	1238	1391	1850	2079	2194	2768	3915
REC 36 84 S		90-2-28-S*	36 84	148	1573	1752	2287	2555	2689	3358	4697
REC 36 96 S		90-2-28-S*	36 96	163	1701	1905	2517	2823	2976	3741	5271
REC 36 120 S		90-2-28-S*	36 120	193	1956	2211	2976	3358	3549	4506	6418

S* includes 2pcs -"L" shape steel support stretchers, screwed 18" from the edge of the top to prevent bowing

REC 42 60		90-2-28	42 60	120	1216	1365	1811	2035	2146	2704	3820
REC 42 72		90-2-28	42 72	137	1365	1544	2079	2347	2481	3150	4489
REC 42 84 S		90-2-28-S*	42 84	166	1722	1930	2555	2867	3023	3804	5366
REC 42 96 S		90-2-28-S*	42 96	183	1871	2109	2823	3180	3358	4251	6036
REC 42 120 S		90-2-28-S*	42 120	218	2168	2466	3358	3804	4028	5143	7374

S* includes 2pcs -"L" shape steel support stretchers, screwed 18" from the edge of the top to prevent bowing


Batali Series

- Single Column "T" Base -


Half Round




Trapazoid



Radius End Left



Radius End Right



Model #	Half Round	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
		A x B								
HR 24 48	90-2-18	24 48	78	893	978	1233	1360	1424	1743	2380
HR 30 60	90-2-23	30 60	105	1105	1233	1615	1807	1902	2380	3337
HR 36 72	90-2-28	36 72	132	1323	1493	2003	2258	2385	3023	4298

Model #	Trapazoid	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
		A x B								
TR 24 48	90-2-18	24 48	78	893	978	1233	1360	1424	1743	2380
TR 30 60	90-2-23	30 60	105	1105	1233	1615	1807	1902	2380	3337
TR 36 72	90-2-28	36 72	132	1323	1493	2003	2258	2385	3023	4298

Model #	Radius End Left	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
		A x B								
REL 24 60	90-2-23	24 60	80	893	978	1233	1360	1424	1743	2380
REL 24 72	90-2-23	24 72	90	978	1080	1386	1539	1615	1998	2763
REL 30 60	90-2-28	30 60	102	1068	1187	1544	1722	1811	2258	3150
REL 30 72	90-2-28	30 72	115	1174	1314	1735	1945	2050	2576	3628
REL 30 84	90-2-28-S*	30 84	127	1488	1650	2134	2376	2498	3103	4314
REL 36 60	90-2-28	36 60	115	1178	1319	1743	1954	2060	2589	3647
REL 36 72	90-2-28	36 72	132	1323	1493	2003	2258	2385	3023	4298
REL 36 84 S	90-2-28-S*	36 84	158	1658	1854	2440	2733	2880	3613	5079

S* includes 2pcs -"L" shape steel support stretchers, screwed 18" from the edge of the top to prevent bowing


Model #	Radius End Right	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
		A x B								
RER 24 60	90-2-23	24 60	80	893	978	1233	1360	1424	1743	2380
RER 24 72	90-2-23	24 72	90	978	1080	1386	1539	1615	1998	2763
RER 30 60	90-2-28	30 60	102	1068	1187	1544	1722	1811	2258	3150
RER 30 72	90-2-28	30 72	115	1174	1314	1735	1945	2050	2576	3628
RER 30 84	90-2-28-S*	30 84	127	1488	1650	2134	2376	2498	3103	4314
RER 36 60	90-2-28	36 60	115	1178	1319	1743	1954	2060	2589	3647
RER 36 72	90-2-28	36 72	132	1323	1493	2003	2258	2385	3023	4298
RER 36 84 S	90-2-28-S*	36 84	158	1658	1854	2440	2733	2880	3613	5079

S* includes 2pcs -"L" shape steel support stretchers, screwed 18" from the edge of the top to prevent bowing

Batali Series

- Single Column "T" Base -

Radius 2 Ends



Wave



Bullet



Model #	Radius 2 Ends		Size		Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7		
			A x B											
R2R	24	72		90-2-23	24	60	100	1063	1182	1539	1717	1807	2253	3145
R2R	24	84	S	90-2-28-S*	24	72	110	1356	1492	1900	2104	2206	2716	3736
R2R	24	96	S	90-2-23-S*	30	60	125	1483	1645	2129	2372	2493	3098	4310
R2R	30	72		90-2-28	30	72	117	1195	1340	1773	1990	2098	2640	3724
R2R	30	84	S	90-2-28-S*	30	84	138	1488	1650	2134	2376	2498	3103	4314
R2R	30	96	S	90-2-28-S*	36	60	158	1658	1854	2440	2733	2880	3613	5079
R2R	36	72		90-2-28	36	72	132	1323	1493	2003	2258	2385	3023	4298
R2R	36	84	S	90-2-28-S*	36	84	158	1658	1854	2440	2733	2880	3613	5079
R2R	36	96	S	90-2-28-S*	36	84	178	1828	2058	2746	3090	3263	4123	5844


Model #	Wave		Size		Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7		
			A x B											
WV	24	60		90-2-23	24	60	95	1020	1131	1462	1628	1711	2125	2954
WV	24	72		90-2-23	24	72	100	1063	1182	1539	1717	1807	2253	3145
WV	30	60		90-2-28	30	60	105	1089	1212	1582	1767	1859	2321	3246
WV	30	72		90-2-28	30	72	117	1195	1340	1773	1990	2098	2640	3724
WV	36	60		90-2-28	36	60	122	1238	1391	1850	2079	2194	2768	3915
WV	36	72		90-2-28	36	72	132	1323	1493	2003	2258	2385	3023	4298

Model #	Bullet		Size		Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7		
			A x B											
BU	24	60		90-2-23	24	60	90	978	1080	1386	1539	1615	1998	2763
BU	30	48		90-2-28	30	48	92	983	1085	1391	1544	1620	2003	2768
BU	30	60		90-2-28	30	60	102	1068	1187	1544	1722	1811	2258	3150
BU	30	72		90-2-28	30	72	115	1174	1314	1735	1945	2050	2576	3628
BU	36	48		90-2-28	36	48	102	1068	1187	1544	1722	1811	2258	3150
BU	36	60		90-2-28	36	60	117	1195	1340	1773	1990	2098	2640	3724
BU	36	72		90-2-28	36	72	132	1323	1493	2003	2258	2385	3023	4298

Batali Series

- Single Column "T" Base -


Boatshape



Model #		Boatshape		Size		Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7	
				A x B										
BT	36	96	S	90-2-28-S*	36	96	212	2211	2517	3435	3894	4123	5271	7566
BT	36	120	S	90-2-28-S*	36	120	263	2551	2925	4047	4608	4888	6291	9096
BT	42	96	S	90-2-28-S*	42	96	212	2211	2517	3435	3894	4123	5271	7566
BT	42	120	S	90-2-28-S*	42	120	263	2551	2925	4047	4608	4888	6291	9096

S* includes 2pcs -"L" shape steel support stretchers, screwed 18" from the edge of the top to prevent bowing

Oval



Model #		Oval		Size		Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7	
				A x B										
OV	36	96	S	90-2-28-S*	36	96	223	2211	2517	3435	3894	4123	5271	7566
OV	36	120	S	90-2-28-S*	36	120	274	2551	2925	4047	4608	4888	6291	9096
OV	42	96	S	90-2-28-S*	42	96	223	2211	2517	3435	3894	4123	5271	7566
OV	42	120	S	90-2-28-S*	42	120	274	2551	2925	4047	4608	4888	6291	9096

S* includes 2pcs -"L" shape steel support stretchers, screwed 18" from the edge of the top to prevent bowing

Batali Series

- Double Column "T" Base -

	Options:	ADD
	EQ-1: Equalizer Glide (Set of 4), (table height remains at 29" with Glide)	50.00 LIST per table
	TWC-1: Twin Wheel Swivel Locking Caster (Set of 4), (table height remains at 29" with casters)	100.00 LIST per table
	HDC-1: Heavy Duty Locking Casters (Set of 4), (table height remains at 29" with casters)	320.00 LIST per table
	#10 Concealed Caster/Glide	70.00 LIST per table
	#20 Concealed Caster/Caster	70.00 LIST per table
	Flip Top Option, T Legs : Tables up to 72" W, complete with connector bar	435.00 LIST per table
	Ganging Fast Lock	90.00 LIST per table
	Bar or Counter Height	120.00 LIST per table
	(Please indicate Height on order) Non Standard Heights	80.00 LIST per table
	(Please indicate on order) Cantilevered C Leg (positioned 1/3 - 2/3)	N/C
* COP (customers own power) , Customer to Supply Power and Data Boxes, Template To be Supplied CUT OUT	Upcharge	120.00 LIST per table
	(Please specify location on order) 3" Round Grommet	30.00 LIST per table
	Polished Chrome Upcharge	200.00 LIST per table
	Satin Nickel Upcharge	225.00 LIST per table

Standard Base Features:

- * 2" Diameter Double (2) Column, 14 Gauge
- * Foot is All Welded 1" x 1 1/2" Tube with Rounded Top, Square Bottom
- * All Double Column "T" Bases come Standard with under mount Chassis and Screw in Adjustable Glides (Model GL-1)
- * Mounting Plate: 12" x 12" x 3/16" Thick, all Welded to the top of Column
- * Flip Box and Connector Bars ALWAYS finished in Cape Standard Black Epoxy
- * Standard table height is 29.5" from floor to surface unless otherwise specified, Upcharges May Apply.
- * Pricing based on any Standard Cape Epoxy

Standard Top Features:

- * All Tops have partial board core, unless otherwise specified
- * Standard Top Thickness: 1 1/8"
- * Standard Cape Laminates: **(CUSTOM LAMINATES UPON REQUEST)**
- Formica **(-58 Finish Only)**
- Wilsonart **(-60 Matte Finish only)**
- Nevamar **(-T Textured Finish Only)**
- Arborite **(-CA Cashmere Finish Only)**
- Pionite **(Suede Finish Only)**

- * Modesty Panels Available, please refer to Accessories page.
- * For power, data and additional accessories, please refer to Accessories page.
- * 2 pcs Tables- 36"-42"w complete with 3 Fast Locks, 48" complete with 4 Fast Locks (Included in prices)
- NOTE: Table Widths of +48" - 60" Available Upon Request

- * **Tables over 120" Long are subject to the following Packaging Charges**
- (one time charge): 1-6 Tables - \$150.00 NET - 6+ Tables-\$300.00 NET**

HOW TO READ CODES: REC 3684 90-2DC-28

REC = Rectangular

3684 = Top Size: 36" x 84"


90-2DC-28= 90=Model 90 Batali, **2DC**=2 Double Column "T" Legs, **28**=28" Base Spread

NOTE: MP=Offset Mounting Plate-Column is welded to the outside of the mounting plate to accommodate smaller top

Batali Series

- Double Column "T" Base -

Rectangular



Model #	Rectangular	Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7	
		A x B									
REC 36 60	90-2DC-28	36 60	135	1595	1722	2105	2296	2392	2870	3826	
REC 36 72	90-2DC-28	36 72	150	1722	1875	2334	2564	2678	3252	4400	
REC 36 84	90-2DC-28	36 84	165	1850	2028	2564	2831	2965	3635	4973	
REC 36 96	90-2DC-28	36 96	180	1977	2181	2793	3099	3252	4017	5547	
REC 36 120	90-2DC-28	36 120	210	2232	2487	3252	3635	3826	4782	6695	
REC 36 144	90-2DC-28	36 144	240	2487	2793	3711	4170	4400	5547	7842	

All Double Column Bases come complete with under mount Chassis Support with Double Column "T" Bases

REC 42 60	90-2DC-28	42 60	148	1701	1850	2296	2519	2631	3188	4304
REC 42 72	90-2DC-28	42 72	165	1850	2028	2564	2831	2965	3635	4973
REC 42 84	90-2DC-28	42 84	183	1998	2207	2831	3144	3300	4081	5643
REC 42 96	90-2DC-28	42 96	200	2147	2385	3099	3456	3635	4527	6312
REC 42 120	90-2DC-28	42 120	235	2445	2742	3635	4081	4304	5420	7651
REC 42 144	90-2DC-28	42 144	270	2742	3099	4170	4706	4973	6312	8990

All Double Column Bases come complete with under mount Chassis Support with Double Column "T" Bases


REC 48 60	90-2DC-28	42 60	148	1701	1850	2296	2519	2631	3188	4304
REC 48 72	90-2DC-28	42 72	165	1850	2028	2564	2831	2965	3635	4973
REC 48 84	90-2DC-28	42 84	183	1998	2207	2831	3144	3300	4081	5643
REC 48 96	90-2DC-28	42 96	200	2147	2385	3099	3456	3635	4527	6312
REC 48 120	90-2DC-28	42 120	235	2445	2742	3635	4081	4304	5420	7651
REC 48 144	90-2DC-28	42 144	270	2742	3099	4170	4706	4973	6312	8990

All Double Column Bases come complete with under mount Chassis Support with Double Column "T" Bases

Batali Series

- Double Column "T" Base -


Boatshape



Model #			Boatshape	Size		Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
			A x B										
BT	48	96	90-2DC-28	48	96	260	2657	2997	4017	4527	4782	6057	8607
BT	48	120	90-2DC-28	48	120	300	2997	3405	4629	5241	5547	7077	10137
BT	48	144	90-2DC-28	48	144	345	3380	3864	5318	6044	6408	8225	11858

All Double Column Bases come complete with under mount Chassis Support with Double Column "T" Bases


Racetrack



Model #			Racetrack	Size		Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
			A x B										
RT	48	96	90-2DC-28	48	96	260	2657	2997	4017	4527	4782	6057	8607
RT	48	120	90-2DC-28	48	120	300	2997	3405	4629	5241	5547	7077	10137
RT	48	144	90-2DC-28	48	144	345	3380	3864	5318	6044	6408	8225	11858

All Double Column Bases come complete with under mount Chassis Support with Double Column "T" Bases

Oval



Model #			Oval	Size		Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7
			A x B										
OV	48	96	90-2DC-28	48	96	260	2657	2997	4017	4527	4782	6057	8607
OV	48	120	90-2DC-28	48	120	300	2997	3405	4629	5241	5547	7077	10137
OV	48	144	90-2DC-28	48	120	345	3380	3864	5318	6044	6408	8225	11858

All Double Column Bases come complete with under mount Chassis Support with Double Column "T" Bases

Batali Series

- Single Column "X" Base -

	Options:	ADD
	EQ-1: Equalizer Glide (Set of 4), (table height remains at 29" with Glide)	50.00 LIST per table
	TWC-1: Twin Wheel Swivel Locking Caster (Set of 4), (table height remains at 29" with casters)	100.00 LIST per table
	HDC-1: Heavy Duty Locking Casters (Set of 4), (table height remains at 29" with casters)	320.00 LIST per table
	#24 Concealed Caster	105.00 LIST per table
	Flip Top Option, X Base : Tables up to 60" in size	170.00 LIST per table
	Bar or Counter Height	120.00 LIST per table
	(Please indicate Height on order) Non Standard Heights	80.00 LIST per table
	Polished Chrome Upcharge	170.00 LIST per table
	Satin Nickel Upcharge	200.00 LIST per table

Standard Base Features:

- * 2" Diameter Single Column, 14 Gauge
- * Foot is All Welded 1" x 1 1/2" Tube, with Rounded Top, Square Bottom
- * Includes Standard Screw in Adjustable Glides (Model GL-1)
- * Mounting Plate: 12" x 12" x 3/16" Thick, all Welded to the top of Column
- * Flip Box and Connector Bars ALWAYS finished in Cape Standard Black Epoxy
- * Standard table height is 29.5" from floor to surface unless otherwise specified, Upcharges May Apply.
- * Pricing based on any Standard Cape Epoxy

Standard Top Features:

- * All Tops have partical board core, unless otherwise specified
- * Standard Top Thickness: 1 1/8"
- * Standard Cape Laminates: **(CUSTOM LAMINATES UPON REQUEST)**
 - Formica **(-58 Finish Only)**
 - Wilsonart **(-60 Matte Finish only)**
 - Nevamar **(-T Textured Finish Only)**
 - Arborite **(-CA Cashmire Finish Only)**
 - Pionite **(Suede Finish Only)**

HOW TO READ CODES: SQ 4848 90-36

SQ= Square

4848 = Top Size: 48" x 48"

90-36=-90= Model 90 Batali, **36**=36" Spread "X" Base

Batali Series

- Single Column "X" Base -


Square



Round



Rectangular



Concave corners



Model #	Square		Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7		
			A x B										
SQ	24	24	90-23	24	24	56	504	538	640	691	717	844	1099
SQ	30	30	90-23	30	30	67	600	653	813	892	932	1131	1530
SQ	36	36	90-28	36	36	81	720	796	1026	1141	1198	1485	2059
SQ	42	42	90-32	42	42	101	886	990	1302	1458	1536	1927	2708
SQ	48	48	90-36	48	48	120	1058	1194	1602	1806	1908	2418	3438

Model #	Round		Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7		
			A x B										
RD	24	D	90-23	24	24	58	521	559	671	727	755	895	1176
RD	30	D	90-23	30	30	70	627	685	860	948	992	1211	1649
RD	36	D	90-28	36	36	86	758	842	1095	1221	1284	1600	2231
RD	42	D	90-32	42	42	107	938	1052	1396	1568	1653	2083	2942
RD	48	D	90-36	48	48	128	1126	1275	1724	1949	2061	2622	3744

Model #	Rectangular		Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7		
			A x B										
REC	24	30	90-23	24	30	61	547	589	717	781	813	972	1291
REC	30	36	90-28	30	36	74	684	747	939	1034	1082	1321	1799
REC	30	42	90-28	30	42	80	709	784	1007	1118	1174	1453	2011
REC	36	42	90-32	36	42	93	824	913	1181	1315	1382	1717	2386

Model #	Concave Corners		Size	Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7		
			A x B										
CC	42	42	90-32	42	42	140	1223	1393	1903	2158	2285	2923	4198
CC	48	48	90-32	48	48	160	1393	1597	2209	2515	2668	3433	4963
CC	54	54	90-36	54	54	180	1607	1845	2559	2916	3095	3987	5772

Batali Series

- Four Column "X" Base -

	Options:	ADD
	EQ-1: Equalizer Glide (Set of 4), (table height remains at 29" with Glide)	50.00 LIST per table
	TWC-1: Twin Wheel Swivel Locking Caster (Set of 4), (table height remains at 29" with casters)	100.00 LIST per table
	HDC-1: Heavy Duty Locking Casters (Set of 4), (table height remains at 29" with casters)	320.00 LIST per table
	#24 Concealed Caster	105.00 LIST per table
	Flip Top Option, X Base : Tables up to 60" in size	170.00 LIST per table
	Bar or Counter Height	180.00 LIST per table
	(Please indicate Height on order) Non Standard Heights	140.00 LIST per table
	Polished Chrome Upcharge	200.00 LIST per table
	Satin Nickel Upcharge	225.00 LIST per table

Standard Base Features:

- * Four (4), 2" Diameter Columns, 14 Gauge
- * Foot is All Welded 1" x 1 1/2" Tube, with Rounded Top, Square Bottom
- * Includes Standard Screw in Adjustable Glides (Model GL-1)
- * Mounting Plate: 12" x 12" x 3/16" Thick, all Welded to the top of Column
- * Flip Box and Connector Bars ALWAYS finished in Cape Standard Black Epoxy
- * Standard table height is 29.5" from floor to surface unless otherwise specified, Upcharges May Apply.
- * Pricing based on any Standard Cape Epoxy

Standard Top Features:

- * All Tops have partial board core, unless otherwise specified
- * Standard Top Thickness: 1 1/8"
- * Standard Cape Laminates: **(CUSTOM LAMINATES UPON REQUEST)**
- Formica **(-58 Finish Only)**
- Wilsonart **(-60 Matte Finish only)**
- Nevamar **(-T Textured Finish Only)**
- Arborite **(-CA Cashmere Finish Only)**
- Pionite **(Suede Finish Only)**

HOW TO READ CODES: RD 48D 90-4C-32

RD= Round

48D = Top Size: 48" Diameter

90-4C-32=90= Model 90 Batali, **4C**= Four (4) Column, **32**=32" Spread "X" Base

Batali Series

- Four Column "X" Base -

Square



Model #	Square		Size		Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7	
			A x B										
SQ 48	48	48	90-4C-32	48	48	126	1287	1423	1831	2035	2137	2647	3667
SQ 54	54	54	90-4C-36	54	54	149	1487	1659	2176	2434	2563	3209	4499
SQ 60	60	60	90-4C-36	60	60	175	1689	1902	2539	2858	3017	3814	5408

Round



Model #	Round		Size		Wt.	ST1	ST2	ST3	ST4	ST5	ST6	ST7	
			A x B										
RD 48	D	D	90-4C-32	48	48	134	1355	1504	1953	2178	2290	2851	3973
RD 54	D	D	90-4C-36	54	54	159	1573	1763	2331	2615	2757	3467	4887
RD 60	D	D	90-4C-36	60	60	188	1795	2029	2730	3081	3256	4133	5886